



Weaver Leather scabbards are constructed with weather-resistant rubberized belting material or top grain steer hide leather. All scabbards are sewn with heavy weather and mildew-resistant nylon thread and riveted at stress points. They are constructed to be more durable and give years of services.

Part # 0803010*

STRAIGHT BACK, RUBBERIZED BELTING MATERIAL

- For saws with blades up to 14" long
- Attaches with snap hook
- Use with Fanno Fi1300 and Fred Marvin HS10 and HS11

NEW!



Part # 0802011

LEATHER CURVED BACK SAW SCABBARD WITH SNAP

- Curved back, top grain leather
- For saws with blades up to 14" long
- Attaches with snap hook
- Use with Fanno Fi1300 and Fred Marvin HS10 and HS11

NEW!



Part # 0803011*

CURVED BACK RUBBERIZED BELTING MATERIAL

- For saws with blades up to 14" long
- Attaches with snap hook
- Use with Fanno Fi1300 and Fred Marvin HS10 & HS11

NEW!



Part # 080200125

LEATHER SCABBARD WITH SNAP HOOK

- Top grain leather
- For saws with blades up to 21" long
- Attaches with snap hook

NEW!



Part # 080300125

RUBBERIZED BELTING SCABBARD WITH SNAP HOOK

- Rubberized belting material
- For saws with blades up to 21" long
- Attaches with snap hook

NEW!



Part # 0803025

RUBBERIZED BELTING POLE SAW SCABBARD

- Pole saw scabbard
- Rubberized belting material
- For pole saw blades up to 15-1/2" long
- Use with all Fred Marvin pole saws
- Fits 95% of all pole saws

NEW!



Part # 0802010

LEATHER STRAIGHT BACK SAW SCABBARD WITH SNAP

- Straight back, top grain leather
- For saws with blades up to 14" long
- Attaches with snap hook
- Use with Fanno Fi1300 and Fred Marvin HS10 & HS11

NEW!



*saw not included

4 DEE SINGLE THICKNESS COTTON



- The 4 Dee offers more positioning options and adds stability
- Cotton webbing reinforced with nylon provides comfort and strength
- Floating seat strap can be easily positioned for maximum comfort
- Available with or without 1" neoprene leg straps that prevent slip through

Part # AB0801005

- Saddle without Leg Straps

Part # AB0801010

- Saddle with 1" Wide Neoprene Leg Straps

Part # AB0801034

- Saddle with 2" wide leg straps



Part # AB0801005



Part # AB0801034



Part # AB0801010

Order saddles in S, M, L, XL according to size chart

FLOATING DEE EXTRA WIDE BACK



Floating Dee saddles offer maximum freedom of movement with a choice of one or two floating Dee

- Floating Dee provides easy maneuverability
- Two floating Dee style is perfect for split-tail climbing
- Front strap is reinforced with neoprene for extra durability

Part # AB0801038

- Saddle with Padded Leg Straps and Two Floating Dee

Part # AB0801040

- Saddle with Nylon Leg Straps and Single Floating Dee

Part # AB0801041

- Saddle with 2" Nylon Leg Straps and Two Floating Dee



Part # AB0801038



Part # AB0801040



Part # AB0801041

Order saddles in S, M, L, XL according to size chart

ACCESSORY STRAPS

Part # AB0898212

- 10" Strap with 2" Ring

Part # AB0898213

- 13" Strap with 2" Ring

Part # AB0898211

- 12" Strap with Boat Snap



AB0898212



AB0898213



AB0898211

Positioning Saddle Sizing Chart

Small	30"-34" waist
Medium	33"-41" waist
Large	36"-44" waist
Extra Large	42"-48" waist

4 DEE EXTRA WIDE BACK



Extra wide back provides extra comfort and support where it's needed most

- The 6" wide waist back is foam filled and lined with a soft brown tanned top grain steer hide leather
- Seat strap floats on waist belt for easy positioning and comfort and is lined with top grain steer hide leather
- Available with or without leg strap that helps prevent slip through

Part # AB0801035

- Saddle with 1" wide Neoprene Leg Straps

Part # AB0801033

- Saddle with 2" Wide Leg Straps



Part # AB0801035



Part # AB0801033

Order saddles in S, M, L, XL according to size chart

COUGAR ROPE BRIDGE EXTRA WIDE BACK SADDLE WITH MEMORY FOAM



Lightweight saddle offers perfect combination of comfortable memory foam, adjustability and design

- Back features additional layer of memory foam for added comfort
- Fixed position side dee rings feature two-bar design and easy access - snap in with one hand
- Rope bridge is compatible with rope style micro pulleys and features rubber bumpers

Part # AB0801075

- Saddle with 4" leg pads and 7" back



*Front View

Order saddles in S, M, L, XL according to size chart

COUGAR ACCESSORIES

Part # 01041

- Aluminum "O" Ring
- NEW!**



Part # 0898125

- Replacement rope bridge
- NEW!**



Part # 0898126

- Replacement Leg Straps
 - One pair
- NEW!**



Part # 0898128

- Replacement Batten Seat
- NEW!**



4-DEE EXTRA WIDE BACK SADDLE WITH BATTEN SEAT



With a comfortable extra wide back and a batten seat, this saddle is ideal for arborists who are in the saddle for long

- The 4" wide batten seat is reinforced with an aluminum bar covered in foam that provides extra support.
- The 6" wide waist back is foam filled and lined with soft oil tanned top grain steer hide leather
- Batten seat floats on waist belt for easy positioning and comfort
- Features adjustable accessory batten seat straps that keep your batten seat properly positioned.
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools handy.

Part # AB0801078 **NEW!**

Order saddles in S, M, L, XL according to size chart



BUCKINGHAM 4 DEE SINGLE THICK COTTON BACK SADDLE WITH LEG STRAPS

- Traditional 4 dee economy saddle
- Constructed with 3" thick cotton webbing reinforced with 1-3/4" nylon
- 1-3/4" grommeted leg straps
- 1 accessory snap on right side and 1-3/4" steel ring on left side

Part # P1383

- S, M, L, XL

Part # P1381

- Same as P1383 but without leg straps



BUCKINGHAM FLOATING DEE DOUBLE THICK COTTON BACK SADDLE

- Single floating dee and two side dees
- Double thick cotton webbing reinforced with 1-3/4" nylon make up the back and seat section
- 1-3/4" grommeted leg straps keep the saddle in place
- 1-3/4" steel ring and accessory snap on each side for equipment

Part # P1379

- S, M, L, XL



ARBORMASTER CLASSIC MASTER SADDLE MODEL 1290

- Six soft and 1 steel suspension point
- Rescue relay loop in back
- Individual leg straps with interlock buckles
- Suspender connection loop
- Various hardware attachment points
- Lightweight 4.5 lbs.

Part # P1290

- S, M, L, XL



ARBORMASTER CLASSIC PINNACLE SADDLE MODEL 1291T

- Tongue buckle waist closure
- Batten seat design
- 4 dee rings, 2 on side and 2 attached to batten seat

Part # P1291T

- S, M, L, XL



SAMSON ARBORMASTER

16 STRAND BRAIDED POLYESTER CONSTRUCTION WITH STABILIZED NYLON CORE

- 8,100 lbs. average tensile strength
- 7.7 lbs. weight per 100'
- 810 lbs. working load
- Fiber: nylon core, polyester cover
- Low stretch
- Maximum firmness for all climbing techniques
- High visibility in trees
- Full size 1/2" diameter makes for an easy grip
- Excellent knot-heat resistance
- Available in spliced units
- Maintains excellent service flexibility
- Spliceable at both ends

BLUE STREAK: BLUE & WHITE



GOLD STREAK: GOLD & WHITE



MULTI COLOR: BLACK, RED & WHITE



Part #	Pkg.
PBS12120	120' Poly Bag
PBS12150	150' Poly Bag
PBS12200 NEW!	200' Poly Bag
PBS12600 NEW!	600' Reel
PGS12120 NEW!	120' Poly Bag
PGS12150 NEW!	150' Poly Bag
PGS12600 NEW!	600' Reel
PMC12120 NEW!	120' Poly Bag
PMC12150 NEW!	150' Poly Bag

SAMSON TRUE BLUE/TRUE WHITE

12-STRAND BRAIDED SERIES (SOLID COLOR)

- 1/2" diameter
- 7,300 lbs. average tensile strength
- 8.8 lbs. weight per 100'
- 730 lbs. working load
- Fiber: polyester
- 100% polyester
- Low stretch, high strength
- No milking necessary
- Stays firm and round in use
- Maintains excellent flexibility
- Maximum service life
- Single Braid
- Can also be used for light/medium duty rigging operations
- Class I Non-Spliceable



TRUE BLUE



TRUE WHITE

Part #	Pkg.
PTB12120	120' Poly Bag
PTB12150	150' Poly Bag
PTB12600 NEW!	600' Reel
PTW12120 NEW!	120' Poly Bag
PTW12150 NEW!	150' Poly Bag
PTW12200 NEW!	200' Poly Bag
PTW12600 NEW!	600' Reel

SAMSON ARBOR PLEX

12-STRAND BRAIDED POLYESTER POLYOLEFIN CONSTRUCTION

- 1/2" diameter
- 6,000 lbs. average tensile strength
- 6.8 lbs. weight per 100'
- 600 lbs. working load
- Fiber: polyester cover, polyolefin core
- Standard Color: white with green longitudinal hanging line
- Excellent wear and snag resistance
- Excellent knot holding ability
- Works well when wet
- Economical-good value
- Single Braid
- No twist stripe
- Class I Non-Spliceable

WHITE WITH GREEN TRACER




Part #	Pkg.
PAP12120	120' Poly Bag
PAP12150	150' Poly Bag
PAP12600 NEW!	600' Reel

SAMSON VELOCITY

12-STRAND BRAIDED POLYESTER POLYOLEFIN CONSTRUCTION

- 7/16" diameter
- 6,000 lbs. average tensile strength
- 5.6 lbs. weight per 100'
- 600 lbs. working load
- Fiber: nylon core, polyester cover
- Standard Colors: green, blue, and white; orange, red, and white
- 11mm size (7/16" diameter)
- "Sure Grip" technology
- Lightweight
- Excellent knot-holding ability
- Works well with hardware
- Exceptional access line
- Great for footlocking
- Class 1 Double Braid

BLUE, GREEN & WHITE



Part # Pkg.

PSV716120 NEW!	120' Poly Bag
PSV716150 NEW!	150' Poly Bag
SV716600 NEW!	600' Reel

NEW ENGLAND CLIMBING ROPE

16-STRAND BRAIDED POLYESTER/POLYPROPYLENE CONSTRUCTION

- 1/2" diameter
- 7,000 lbs. average tensile strength
- 7 lbs. weight per 100'
- 700 lbs. working load
- Stays round under loads
- Excellent knot control
- Excellent abrasion resistance
- High UV resistance
- Excellent flexibility
- Available in 3 colors

SAFETY BLUE: SOLID WHITE



Part # Pkg.

PNESB12120	120' Poly Bag
PNESB12150	150' Poly Bag
PNESB12600 NEW!	600' Reel

HI-VEE SAFETY BLUE: ALTERNATING ORANGE & WHITE



PNEHV12120	120' Poly Bag
PNEHV12150	150' Poly Bag
PNEHV12600 NEW!	600' Reel

ULTRA VEE SAFETY BLUE: HIGH VISIBILITY GREEN & WHITE



PNEUV12120	120' Poly Bag
PNEUV12150	150' Poly Bag
PNEUV12600 NEW!	600' Reel

PELICAN CLIMBING ROPE

16-STRAND BRAIDED POLYESTER CONSTRUCTION

- 1/2" diameter
- 8,600 lbs. average tensile strength
- 7.7 lbs. weight per 100'
- 860 lbs. working load
- Pelican Orange & White
- High strength chemical resistant polyester cover
- Non-rotational nylon parallel core
- Steam set to eliminate cover over core slippage (milking)

PELICAN ORANGE & WHITE



Part # Pkg.

POW12120 NEW!	120' Poly Bag
POW12150 NEW!	150' Poly Bag
POW12200 NEW!	200' Poly Bag
POW12600 NEW!	600' Reel

SAMSON PRO MASTER

3 STRAND, TWISTED CONSTRUCTION

- Fiber: polyolefin, polyester
- Excellent knot-holding
- Remains firm and round even with use
- Soft hand
- Excellent lock-grip holding capability
- Class 1 3-Strand splice
- Excellent abrasion resistance
- High strength-to-weight ratio
- Minimal UV degradation
- Easy to splice

Part #	Dia.	Pkg.	Average Tensile, lbs.	Weight per 100'	Working Load, lbs.
PPM12150	1/2"	150' Poly Bag	6,300	6.5 lbs.	1,300
PPM12600 NEW!	1/2"	600' Reel	6,300	6.5 lbs.	1,300
PPM58150	5/8"	150' Poly Bag	8,500	9.6 lbs.	1,700
PPM58600 NEW!	5/8"	600' Reel	8,500	9.6 lbs.	1,700
PPM34150	3/4"	150' Poly Bag	10,900	13.9 lbs.	2,200
PPM34600 NEW!	3/4"	600' Reel	10,900	13.9 lbs.	2,200



SAMSON ARBOR PLEX

12-STRAND BRAIDED

- Fiber: polyester cover, polyolefin core
- Standard Color: white with green longitudinal hanging line
- Excellent wear and snag resistance
- Excellent knot holding ability
- Works well when wet
- Economical - good value
- Single Braid

Part #	Dia.	Pkg.	Average Tensile, lbs.	Weight per 100'	Working Load, lbs.
PAP58150	5/8"	150' Poly Bag	9,000	12 lbs.	1,800
PAP58600 NEW!	5/8"	600' Reel	9,000	12 lbs.	1,800
PAP34150	3/4"	150' Poly Bag	12,000	16.2 lbs.	2,400
PAP34600 NEW!	3/4"	600' Reel	12,000	16.2 lbs.	2,400



SAMSON STABLE BRAID

DOUBLE BRAID SAMSON'S STRONGEST RIGGING LINE

- Fiber: polyester
- Torque-free construction
- Durable
- High resistance to UV degradation
- Class 1 Double Braid splice
- Low stretch
- Excellent abrasion resistance
- Minimal UV degradation



Part #	Dia.	Pkg.	Average Tensile, lbs.	Weight per 100'	Working Load, lbs.
PSB12150 NEW!	1/2"	150' Poly Bag	10,400	8.2 lbs.	2,100
PSB12200 NEW!	1/2"	200' Poly Bag	10,400	8.2 lbs.	2,100
PSB12600 NEW!	1/2"	600' Reel	10,400	8.2 lbs.	2,100
PSB58150	5/8"	150' Poly Bag	16,300	14 lbs.	3,300
PSB58600 NEW!	5/8"	600' Reel	16,300	14 lbs.	3,300
PSB34150	3/4"	150' Poly Bag	20,400	18 lbs.	4,100
PSB34600 NEW!	3/4"	600' Reel	20,400	18 lbs.	4,100



PELICAN BULL ROPE

- Double braid construction
- Shock absorbing
- Urethane coated for abrasion resistance
- Resistant to sunlight and common chemicals
- High tensile strength

Part #	Dia.	Pkg.	Average Tensile, lbs.	Weight per 100'	Working Load, lbs.
PBR58150	5/8"	150' Poly Bag	15,320	12 lbs.	3,064
PBR58200 NEW!	5/8"	200' Poly Bag	15,320	12 lbs.	3,064
PBR58600 NEW!	5/8"	600' Reel	15,320	12 lbs.	3,064
PBR34150	3/4"	150' Poly Bag	25,730	16.7 lbs.	5,146
PBR34200 NEW!	3/4"	200' Poly Bag	25,730	16.7 lbs.	5,146
PBR34600 NEW!	3/4"	600' Reel	25,730	16.7 lbs.	5,146

THROW WEIGHTS & LINE

- Aerodynamic throw weight and lightweight polyethylene line kits
- Helps position ropes perfectly
- Aerodynamic design helps increase the range of the throw

Part #	Description
AB0898301	10 oz. Throw Weight Only
AB0898302	12 oz. Throw Weight Only
AB0898303	14 oz. Throw Weight Only
AB0898304	16 oz. Throw Weight Only
AB0898311	Kit 10 oz. Throw and 150' Slick Line
AB0898312	Kit 12 oz. Throw and 150' Slick Line
AB0898313	Kit 14 oz. Throw and 150' Slick Line
AB0898314	Kit 16 oz. Throw and 150' Slick Line



BULLET THROW WEIGHTS

- The moving action of the #8 shot that fills these Cordura weights helps prevent the weights from hanging up in tree branches
- The coated lead shot is contained in a latex pouch for environmental protection
- Bottom loop for an accessory carabiner offers easy rope attachment
- Size is screen printed on each throw for easy identification

Part #	Weight	Color
0898322 NEW!	8 oz.	Orange/Black
0898323 NEW!	10 oz.	Green/Black
0898324 NEW!	12 oz.	Yellow/Black



150' THROW LINE REPLACEMENT

Part # 0898025150

- Lightweight design is ideal for positioning other ropes
- Features an 8 carrier diamond braid polyethylene cover over a parallel polyethylene core
- Minimum tensile strength of 190 lbs.

NEW!



FREE THROW/UTILITY PULLING LINE

Part #	Description
AB025	150' Pulling Line
AB030	200' Free Throw
AB026	1000' Pulling Line



ERIN BULK THROW LINE

- High quality
- 1/8" diameter
- 100% Polyethylene solid braid line
- 260 lbs. tensile

Part #	Description
40200	200' Spool
41000	1000' Spool



ZING IT THROW LINE

Part #	Description	Tensile
AB811017	1.75mm 180'	560 lbs.
AB811022	2.2mm 180'	670 lbs.



BULL'S EYE THROW LINE

Part # 0898026

- 2.5 mm x 150'
- Polyethylene and Dyneema® combine to offer an extremely slick and strong design
- Constructed from neon green polyethylene and white Dyneema in a striped design that offers high visibility
- Dyneema core gives this throw line added strength
- Rot-resistant line has good memory for recoiling
- Rope glides easily in hands
- Average tensile strength of 450 lbs.

NEW!



FLING-IT THROW LINE

Part # 0898027

- 2.2 mm x 150'
- Dyneema throw line has a coating that enhances glides and resists abrasions
- Constructed from 100% Dyneema in a bright neon orange for maximum visibility
- Features an 8-strand twill braid that provides resistance to abrasion and snagging
- High tensile strength offers added durability
- Average tensile strength of 650 lbs.

NEW!



BIG SHOT

Part #	Description
FGBSKIT	Big Shot w/2-4' poles
BS1RP	Replacement Pouch and Tubing
FG4F	4' Base Pole
FG4	4' Extension Pole
REC125	Rubber End Cap



THROW LINE STORAGE BAGS

- Constructed of 600-denier coated polyester
- Convenient drawstring top closure
- Features interior nickel plated rings

Part #	Description
AB0807140	Small Size 4" Dia. x 9" H Red
AB0807142	Medium Size 7" Dia. x 9" H Blue



THROW LINE BUCKET BAG

Part # 0807165

- Constructed from 1,200 denier nylon
- Holds four various-sized bags and throw lines
- Generously sized rain shield
- Multiple inside pouches with Velcro® closures
- Interior features four floating dees
- Two external pockets for added storage
- One external pocket with a clear pocket
- Measures 12" in dia. by 8" high

NEW!



PELICAN ROPE STANDARD ROPE BAG

Part # RB12X14

- Strong nylon canvas
- Weather-proof vinyl lining
- Zipped top flap
- Shoulder straps
- Two side pockets with flaps
- Holds 200' 1/2" diameter rope
- Holds 150' 5/8" diameter rope

NEW!



LARGE NYLON ALL PURPOSE GEAR BAG

Part # 0807185

- Constructed from 1,200 denier nylon
- Large enough to carry all Arborist tools
- Measures 15" dia. by 29" high
- Padded shoulder straps
- Roomy appeared outside compartments
- 13" wide by 21" high by 2" deep
- Hand saw pouch measures 5" wide by 13" high by 2" deep

NEW!



MESH TOOL ACCESSORY BAG

- Constructed of coated nylon mesh that allows moisture to evaporate
- A great storage option for tools and small hardware
- Black webbing handles for easy carrying

Part #	Size	Dimensions
0807130 NEW!	Small	5" dia. x 9" long
0807132 NEW!	Large	8" x 12" long



DELUXE ROPE BAG

Part # 0807156

- Made from 1,200 denier nylon and is perfect for storing 1/2" or 9/16" climbing lines
- Features two outside pockets with handy snap closures for strong carabiners and other accessories
- Top of bag features a zippered closure and a grommet for feeding rope through
- Grommet is reinforced with leather for extra durability and is covered with a flap that keeps weather out
- Spiral wire keeps bag from collapsing when rope is fed into the bag and snaps keep bag collapsed when not in use
- Measures 11" in dia. by 15" high

NEW!



BULL ROPE DEPLOYMENT BAG

Part # 0807161

- Made from 1,200 denier nylon
- Perfect for storing a 5/8" x 200' bull rope
- Padded shoulder strap for easy carrying
- Two roomy outside pockets for storage of block and rope
- Spiral wire keeps bag from collapsing and snaps keep bag collapsed when not in use
- Measures 15" dia. by 18" high

NEW!



BASIC ROPE BAG

Part # 0807152

- Made from 1,200 denier nylon
- Spiral wire prevents bag from collapsing when rope is fed
- Snaps and dees keep bag collapsed when not in use
- Convenient drawstring top closure for quick access
- Holds 150' of 1/2" or 9/16" rope
- Measures 12" dia. by 14" high

NEW!



DOCTOR-STYLE POLYESTER TOOL BAG

Part # 0807001

- Construction from 1,000 denier polyester with a PVC coating
- Hard plastic bottom protects contents and prevents punctures
- Features Velcro® closures at top for easy in and out and a rain shield for added protection
- Features two 18" W x 12" H x 4" D side pockets with Velcro® closures
- Main compartment measures 32" x 10" H x 11" D

NEW!



DOCTOR-STYLE CANVAS TOOL BAG

Part # 0807000

- Constructed from durable canvas with webbing handles and a new adjustable shoulder strap with pad
- Hard plastic bottom protects contents and prevents punctures
- Features Velcro® closures at top for easy in and out and a rain shield for added protection
- Features two 18" W x 12" H x 4" D side pockets with Velcro® closures
- Main compartment measures 23" x 10" H x 11" D

NEW!



BUCKINGHAM TEAR AWAY BUNGEE CHAINSAW LANYARD

Part # 2SY12-48A

- Built-in bungee is designed for safety and convenience
- Constructed with a tear-away safety pack that activates when 200 lbs. of force is applied
- Eliminates the possibility of the user being pulled out of a tree if the saw gets hung up on a falling limb
- Tear-away design
- Fully extends 48"
- 6" nylon loop
- 1-3/4" steel ring to suspend when not in use



BUNGEE CHAIN SAW STRAPS

- Design easily stretches when your using your saw
- Retracts when hanging close to your saddle or belt
- 1-3/16" wide double box-stitched nylon webbing straps with 1" elastic easily adjust by attaching the rings to snap on a saddle or belt
- Heat sealed ends help prevent fraying
- A half twist in the loop end helps keep equipment hanging straight
- Welded nickel plated rings are 2" in diameter
- Non rust manganese bronze
- Not intended for break-away
- Color: Orange

Part # 0898225

- With ring and 225 snap
- 225 snap is 4-1/4" long
- 30" at rest
- 45-1/2" long when fully extended

NEW!

Part # 089226

- With two rings
- 33-1/2" at rest
- 48" long when fully extended

NEW!

Part # 0898227

- With one ring
- 31-1/2" at rest
- 44" length when fully extended

NEW!



KERNMANTLE ROPE LANYARD

Part # LYB08Y42

- U.S. Rigging
- 42" long
- 5" loop and brass swivel snap
- Breakaway design

NEW!



CHAIN SAW STRAPS

- Nylon straps with a half twist help keep equipment hanging straight
- Constructed of 1" wide double box-stitched nylon webbing with heat-sealed ends to prevent fraying
- Welded nickel plated rings are 2" in diameter
- Non-rust manganese bronze 225 snaper are 4-1/4" long

Part #	Size	Color
0898212	10" with Ring	Red
0898213	13" with Ring	Red
0898211	15" with 225 Snap	Red



ADJUSTABLE CHAIN SAW STRAPS

- 1" wide, double boxstiched nylon webbing straps easily
- Adjust by attaching the rings to snap on a saddle or belt
- Heat sealed ends help prevent fraying
- A half twist in the loop end helps keep equipment hanging straight
- Welded nickel plated rings are 2" in diameter
- Non-rust manganese bronze 225 snap is 41/4" long

Part #	Size	Color
0898219	49" with Ring and 225 Snap	Blaze Orange
0898220	49" with Two Rings	Yellow
0898221	47" with One Ring	Red



TWO-IN-ONE ADJUSTABLE LANYARD

Part # LYT1610

- 1/2" diameter 3-strand polyester
- Length: 10" plus 20" Prusik Runner
- Double locking safety snap hooks
- Includes prusik runner
- Forged steel safety snap hooks are rated 5,000 lbs. tensile and proof-load tested

NEW!



ADJUSTABLE SAFETY LANYARDS

- Shrink tubing forms a tapered cover over the tails
- Forged alloy steel
- Double locking safety snap hook is tested and rated at 5,000 lbs. break strength

Part #	Description	Adjustable	Diameter
LYT1607 NEW!	3-strand rope with double locking safety hook at each end	4" - 7"	1/2"
LYB1607 NEW!	Double braid rope* with double locking safety snap at each end	4" - 7"	1/2"

* Double braid is stronger with shock loading



NYLON WEB POSITIONING LANYARD

Part # ER29026

- 1" x 6" adjustable positioning lanyard
- Locking snap hooks on both ends

NEW!

Part # ER29510

- 1" x 10" adjustable positioning lanyard
- Locking snap hooks both ends

NEW!



STEEL CORE FLIPLINE

- High visibility
- Not for use around electric lines
- Smooth handling 16-strand polyester composite cover over a galvanized steel aircraft cable core
- Galvanized thimbles each end with a locking swivel snap at one end

Part #	Description
--------	-------------

FLS1608	1/2" x 8'
----------------	-----------


FLS1610	1/2" x 10'
----------------	------------

FLS1612	1/2" x 12'
----------------	------------

FLS588	5/8" x 8'
---------------	-----------

FLS5810	5/8" x 10'
----------------	------------

FLS5812	5/8" x 12'
----------------	------------



1/2" flipline can be used with Gibbs G3 series ascenders and the CM1 Ropewalker ascenders
3/8" fliplines can be used with Gibbs G4 series ascenders and the CM1 Ropewalker ascenders

ROPE FLIPLINE

- 16-strand rope flipline - blue/white
- Locking rope snap on one end and eye splice on the other

Part #	Description
--------	-------------

FL1608	1/2" x 8'
---------------	-----------

FL1610	1/2" x 10'
---------------	------------

FL1612	1/2" x 12'
---------------	------------

1/2" fliplines can be used with Gibbs with ascenders and the CMI Ropewalker Ascenders



Chain Saw Straps, Lanyards & Flipline



EYE TO EYE BEELINE PRUSIK CORDS

- 5/16"
- Tough kernmantle technora jacket over polyester core
- Heat and abrasion resistant
- Eye to eye tails with two machine-sewn tight eyes
- 6,000 lbs. tensile strength

Part #	Description	Size
EE28	Eye to Eye Prusick	5/16" x 28"
EE30	Eye to Eye Prusick	5/16" x 30"
EE32	Eye to Eye Prusick	5/16" x 32"



SPLICED BEELINE

- 5/16" technora and polyester blended
- 900 degree melting point
- Spliced and hand-sewn finished
- 5,000 lbs. tensile strength

Part #	Description	Size
RF2101	Eye to Eye Prusick	5/16" x 30"
RF2101	Eye to Eye Prusick	5/16" x 32"



PRUSIK RUNNER WITH LOCKING SNAP

Part # PRT16020

- Each runner is equipped with a double-locking safety snap hook
- 100% proof load tested
- Rated at 5,000 lbs. tensile strength
- Constructed from 3-strand twisted white polyester
- 1/2" three strand twist
- 1/2" x 20"
- Add to any rope lanyard

NEW!




Buckingham began manufacturing tree and pole climbers back in 1896. For over a century, utility linemen, arborist and construction workers have relied on Buckingham for their climbing needs. Having entered their second century, Buckingham remains committed to satisfying their customers by using only the best materials available, maintaining the highest manufacturing processes possible, continually searching for better materials and leading the industry in product innovations.

STEEL CONTOURED SHANK REPLACEABLE GAFF CLIMBERS

Part # SB95059

- Complete steel set with leather pads and nylon straps
- Sleeve adjustment from 16-1/4" to 18-3/4"
- 2-3/4" screw type replaceable tree gaffs
- Rated to 350 lbs. per pair
- Offset stirrup prevents climber from moving back to heel of foot


NEW!



Part # SB95089

- Steel climbers without upper straps or pads
- Sleeve adjustment from 16-1/4" to 18-3/4"
- 2-3/4" screw type replaceable tree gaffs
- Rates to 350 lbs. per pair
- Offset stirrup prevents climber from moving back to heel of foot
- Lower straps included

NEW!



TITANIUM CONTOURED SHANK REPLACEABLE GAFF CLIMBERS

Part # TB95059

- Complete titanium set with leather pads and nylon straps
- Sleeve adjustment from 16-1/4" to 18-3/4"
- 2-3/4" screw type replaceable tree gaffs
- Rated to 350 lbs. per pair
- Offset stirrup prevents climber from moving back to heel of foot


NEW!



Part # TB95089

- Titanium climbers without upper straps or pads
- Sleeve adjustment from 16-1/4" - 18-3/4"
- 2-3/4" screw type replaceable tree gaffs
- Rated to 350 lbs. per pair
- Offset stirrup prevents climber from moving back to heel of foot
- Lower straps included

NEW!



US RIGGING

Aluminum Replaceable Gaff Stirrups

Part # AB9999

- Complete with leather pads and neoprene impregnated nylon straps
- Strong lightweight aluminum
- 20% lighter than all steel models
- Adjustable lengths from 16" - 19" overall
- Heat-treated steel spurs attach with recessed allen head bolt
- Meets all ASTM Standards



Replaceable Spikes and Bolt

Part # BAB120T

- Heat treated
- Comes with allen head bolts
- Sold in pairs



STRAPS & PADS

Leather Top Climber Straps

Part # AB0897001

- 26" long, top grain latigo leather is pliable and comfortable
- Ten holes for size adjustment
- Sold in pairs



Gaff Guards

Part # AB0897100

- Velcro straps for easy on and off
- Strap is riveted on
- Nickel-plated rivets and snap
- Sold in pairs



Neoprene Top Climber Straps

Part # AB0898001


- 26" long neoprene impregnated nylon resists moisture, mildew and rot
- Riveted 1" wide neoprene straps are extremely durable
- Ten holes for adjustment
- Sold in pairs



Leather L-Shaped Climber Pads with Liner

Part # AB0897158

- Provides foam cushioned comfort for back of leg and calf
- Soft, 1" thick foam liner
- Sold in pairs



Leather Split Ring Lower Climber Straps

Part # AB0897050

- 26" long, top rain latigo leather is pliable and comfortable
- Split rings allow for greater flexibility in wrapping straps around leg
- Sold in pairs



T-Shaped Climber Pads with Felt Liner

Part # AB0897156

- No tabs - these pads thread on straps and climber shank
- Nickel-plated rivets
- Sold in pairs



Neoprene Split Ring Lower Climber Straps

Part # AB0898050

- 26" long durable neoprene is weather resistant for long service
- Neoprene impregnated nylon is riveted with nickel plated rivets
- Ten buckle holes for size adjustment
- Sold in pairs



SUPER CLIMBING PADS

Part # 0897157

- Extra large design distributes pressure more evenly for added comfort
- Constructed of durable, weather-resistant top grain harness leather lined with 1/2" black felt
- A tunnel for the climber shank and 1-1/4" slots for straps
- Requires two 26" climber straps
- Sold in pairs



STRAPS & PADS continued

Buckingham Velcro Pads

- 4" cinch loop allows pads to be tightened more efficiently
- Fits all climbers except Brooks

Part #	Description
3500C	Cushion wrap pad with cinch
3502C	Cinch pad with metal insert



CLIMBER HARDWARE

Tree Gaff Maintenance Kit

Part # 6026

- Kit Includes:
 - 6058 Smooth single cut file
 - 6306 Tree gaff gauge
 - 6501 Finishing hone



Split Rings for Lower Climbing Straps

Part # 9218

- 1-18" split ring easily attaches to climber stirrup



Buckingham Sleeve Fasteners

Part # 9215

- For Buckingham replaceable gaff climbers with holes that are not threaded



Part # 996

- For Buckingham permanent and replaceable gaff climbers with threaded holes



CARABINERS/HARDWARE

Part #	Description	Size/Type	Tensile (lbs.)
A USR840	Classic "Big 8" Descender Friction break	Use w/1/2" & 5/8" rope	9,000
B USR835	Aluminum 8 Descender	Use w/1/2" rope	6,750
C USR01	Safety Hook Double Lock Steel	3/4" gate opening	7,650
D USR02	Safety Hook Swivel-Eye Double Lock Steel	3/4" gate opening	7,650
E USR50	Safety Snap Double Lock Aluminum Red "King"	7/8" gate opening	6,000
F USR14	Aluminum Twist Lock Carabiner Twist Lock	7/8" gate opening	5,600
G USR106	Aluminum Big D Triple action Twist Lock	1" gate opening	5,850
H USR140	Aluminum Captive eye Carabiner Twist Lock	3/4" gate opening	5,600
I USR176	Aluminum Swivel eye Carabiner Twist Lock	7/8" gate opening	5,400
J KNG911	Aluminum Large carabiner Rombo 3 Action Lock	1-1/6" gate opening	6,750
K KNG411	Extra large steel carabiner Rombo Action Lock	1-1/16" gate opening	11,250
L KNG411SL	Extra large rescue carabiner screw lock	1-1/16" gate opening	11,250
M K1610	Twisted Schackle Stainless for Microender	5/16" pin size	6,600
N K1612	Twisted Shackle Stainless for Gibbs ascender	3/8" pins size	10,000
O G3A	Gibb's Ascender spring loaded, Aluminum	Use w/7/16" - 1/2" rope	5,200
P G3AB	Gibb's Ascender, Alum. w/bolt and lock nut	Use w/7/16" - 1/2" rope	5,200
Q G3S	Gibb's Ascender spring loaded, stainless steel	Use w/7/16" - 1/2" rope	5,200
R G3SB	Gibb's Ascender, Stainless w/bolt & lock nut	Use w/7/16" - 1/2" rope	5,200
S G4A	Gibb's Ascender spring loaded, Aluminum	Use w/5/8" - 3/4" rope	5,200
T G4AB	Gibb's Ascender, Alum. w/bolt & lock nut	Use w/5/8" - 3/4" rope	5,200
U G4S	Gibb's Ascender spring loaded, Stainless steel	Use w/5/8" - 3/4" rope	5,200
V G4SB	Gibb's Ascender, Stainless w/bolt & lock nut	Use w/5/8" - 3/4" rope	5,200



US RIGGING PULLEYS

Part # USRPMS

- Micro pulley
- Aluminum sheave for ropes up to 1/2" dia.
- 1-5/16" dia.
- Rated at 6,744 lbs.
- L.O.A.: 3"
- Weight: 4.2 oz.

NEW!



Part # USRPSW

- Aluminum sheave for ropes up to 9/16" dia.
- 2-3/8" dia.
- L.O.A.: 4-3/4"
- Weight: 8.6 oz.

NEW!



CMi PULLEYS

Part #	Tensile	Rope Capacity	Size (WxH)	Weight	Efficiency
RP104 NEW!	8,500 lbs.	5/8"	4.25" x 3.25"	0.65 lbs.	95.6%
RP140 NEW!	7,000 lbs.	1/2"	2.5" x 1.75"	0.2 lbs.	n/r
RP110 NEW!	7,000 lbs.	1/2"	2.75" x 1.85"	0.15 lbs.	84.1%
RP141 NEW!	7,000 lbs.	1/2"	2.75" x 2.75"	0.2 lbs.	n/r



RP104 -with stainless steel plates



RP140 -glide pulley



RP110 -single sheave micro pulley



RP141 -micro mouse

CMi STAINLESS STEEL RIGGING BLOCKS

The CMi "Heavy Duty" pulleys are regarded as some of the strongest and most reliable pulleys available. The RP130 and RP131 are designed specifically to be used in false crotch systems to save wear and tear on bull ropes.

Part #	Max line	Tensile	Working Load	Weight
RP130 NEW!	5/8"	28,000 lbs.	4,000 lbs.	2.25 lbs.
RP131 NEW!	3/4"	40,000 lbs.	6,000 lbs.	5.38 lbs.




RP130



RP131

ARBOR MASTER FRICTION SAVER

- Install and retrieve from ground
- Less bend radius
- Less friction, easier to climb
- Reduced wear to rope
- Can be used as false crotch
- Rates to 5,000 lbs. - for human support only
- Hardcoat anodized aluminum



Part # Length

57-48 NEW!	48"
57-60 NEW!	60"

FRICTION/CAMBium SAVER

- Constructed from 1/2" dia. 16-strand polyester rope
- 5,000 lb. tensile
- 28mm dia. small aluminum ring
- 46mm dia. large aluminum ring
- 2 lengths: 36" and 72"



Part # Length

RF5201 NEW!	36"
RF5203 NEW!	72"

NYLON LOOP RUNNERS

Constructed of tubular nylon webbing, these loop runners serve as medium-duty choker straps for tree work and climbing

Part #	Length	Breaking Strength	Safe Working Load
08982300Y NEW!	12"	7,000 lbs.	1,400 lbs.
0898231BO NEW!	24"	7,000 lbs.	1,400 lbs.
08982320Y NEW!	30"	7,000 lbs.	1,400 lbs.
0898233BO NEW!	36"	7,000 lbs.	1,400 lbs.
0898234BO NEW!	46"	7,000 lbs.	1,400 lbs.



FALSE CROTCH BLOCK SLING WITH KONG ALBY PULLEY

Part # FCBS16

- Kit features 3/4" bull rope with KONG #839 ALBY aluminum block.
- Rope is double braid/composite construction of polyester cover over nylon core for higher tensile strength and better shock load performance
- Yellow urethane coated for abrasion resistance
- Slings have 6" eye splice on one end with chaff guard

NEW!




ALUMINUM RIGGING BLOCKS

Part # 5007S

- 5/8" line 7" x 4" (18 x 10cm) 3-1/4" lbs.
- Tensile tested to 22,500 lbs.
- Safe working load is 4,496 lbs.

NEW!



Part # 5007L

- 3/4" line 9" x 5" (22 x 12cm) 3-1/4" 5 lbs.
- Tensile tested 22,500 lbs.
- Safe working load is 4,496 lbs.

NEW!

PELICAN DEAD EYE SLINGS

Double braid/composite construction of polyester cover over nylon core for higher tensile strength and better shock load performance. The slings are coated with urethane for abrasion resistance. These slings have a 6" eye on one end with a heavy duty chafe guard.

Part #	MM	Dia.	Length	Tensile (lbs.)
ADE205C5-10E NEW!	16mm	5/8"	10'	15,300
ADE20C5-15E NEW!	16mm	5/8"	15'	15,300
ADE24YC-15E NEW!	19mm	3/4"	15'	25,700
ADE24ACY-18E NEW!	19mm	3/4"	18'	25,700



ADJUSTABLE WHOOPIE SLING

Whoopie Slings are adjustable lifting slings that have a permanent eye at one end and an adjustable eye at the other end to accommodate a wide range of lifting requirements.

Part #	Description
WS0328 NEW!	1/2" dia. x 2.5' to 4' Length 2,200 cap. single leg
WS0404 NEW!	5/8" dia. x 3' to 5' Length 3,200 cap. single leg
WS0486 NEW!	3/4" dia. x 3.5' to 7' Length 4,200 cap. single leg
WS1062 NEW!	3/4" dia. x 3.5' to 10' Length 4,200 cap. single leg
WS1462 NEW!	3/4" dia. x 3.5' to 14' Length 4,200 cap. single leg



MAASDAM POW-R-PULL

Part # A-O

This rope ratchet device is used in arborist industry to pull trees, logs, raise or lower loads and often to stretch fences. The notch at a time rope ratcheting device has a maximum capacity of 1,500 lbs. and can accommodate an unlimited length of rope. The Maasdam rope Pow-R-Pull is designed to be used with 1/2" three strand rope like Pro Master or Tree Master but can also be used with 1/2" braided ropes like Arbor Plex, True Blue or True White. Rope is not included.

NEW!



UNIVERSAL SERIES FULL BODY HARNESSES

Part # 42109

- Universal Harness
- One Steel D-ring: at back
- Parachute mating buckles on chest and leg straps
- Shoulder strap adjusters
- Made of polyester and nylon
- One size fits most workers in range of 130 to 310 lbs.

NEW!



Part 42159

- Universal Harness
- One Steel D-ring: at back
- Parachute mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder strap adjusters
- Made of polyester and nylon
- One size fits most workers in range of 130 to 310 lbs.

NEW!



Part # 42359

- Universal Harness
- Three Steel D-rings: at back and hips
- Parachute mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder strap adjusters
- Made of polyester and nylon
- One size fits most workers in range of 130 to 310 lbs.


NEW!



Part # 35427

- Flex-NoPac Web Lanyard
- 1-1/2" x 6'
- Zsnaohook, Auto locking fall rated snap hook on each end
- Stretches 4.5' to 6'

NEW!



Part # 05100

- Roofer Protection Kit
- One D-ring universal fit harness
- 5/8" x 30' Lifeline with attached rope grap and attached 2' ZORBER web lanyard with auto locking Zsnap hook.
- Reusable roof anchor with fasteners
- Storage bucket included
- Harness: one size fits most workers in range of 130 to 310 lbs.

NEW!



Part # 13051

- Roof Anchor Connector Kit
- Reusable roof anchor kit with screws

NEW!



PORT-A-WRAP III


Part # 601L

- Large painted
- Ropes to 3/4"



SPENCER PRO LOGGER'S TAPE

- Built from the best materials and components
- Fully automatic, gear driven
- Sturdy aluminum case
- Hardened steel gears and pinion driven
- Powerful spring return
- Swivel clip hangs on belt loop or tape guard



Tape

Part #	Width	Length
AC950	3/8"	50'
AC975	3/8"	75'

Tape Refills

Part #	Width	Length
AC951	3/8"	50'
AC976	3/8"	75'